

Boise City Solid Waste Plan Submittal Checklist

- | YES | NO | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Site Plan clearly indicates location of all proposed solid waste containers and enclosures. Proposed recycling containers must also be shown. |
| <input type="checkbox"/> | <input type="checkbox"/> | Site Plan shows 50' of straight-line unobstructed access from gates of the enclosure for the collection vehicle. 60' of unobstructed access is required for compactors or roll-off containers (20-40 yds). |
| <input type="checkbox"/> | <input type="checkbox"/> | A detailed drawing of enclosure is provided. |
| <input type="checkbox"/> | <input type="checkbox"/> | The detailed enclosure drawing includes interior dimensions of enclosure and the dimension of the gate opening. |
| <input type="checkbox"/> | <input type="checkbox"/> | The detailed enclosure drawing indicates that the enclosure gates will open to a minimum of 120 degrees. |
| <input type="checkbox"/> | <input type="checkbox"/> | The detailed enclosure drawing includes cane bolts and holes in the concrete to hold open the gates during collection. |
| <input type="checkbox"/> | <input type="checkbox"/> | The detailed enclosure drawing includes size/capacity of proposed solid waste and recycling containers. |
| <input type="checkbox"/> | <input type="checkbox"/> | The detailed enclosure drawing includes any proposed bollards and curbing. |
| <input type="checkbox"/> | <input type="checkbox"/> | If multiple parcels are being developed each parcel must have a solid waste container or a documented legal agreement between multiple parcels for shared access and service. |